

Rome | Logn | Logout | Access information | Ale

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Search Session History

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Cisplay

Recent Seamh Queries

Mon, 30 Jul 2007, 4:21:15 PM EST

Results

#11. (((channei <near/2> quality <near/2> metric)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)

#2 (((channel <near/2> quality <near/2> metric)<in>metadata)) <and> (pyr >= 1950 <ard> pyr <= 2001)

Minspec

Jelo Contact Us Privac & Copyright 2006 (C

	Hits	Search Text	DBs
	48	(("6167081") or ("5706313") or ("6025888") or ("6483885") or ("6141388") or ("6192503") or ("6374387") or ("6625236") or ("5704365") or ("6385751") or ("5991349") or ("5812558") or ("5977826") or ("4247952") or ("5995150") or ("6199037") or ("6370144") or ("6377916") or ("6389031") or ("6771929") or ("5263053") or ("5740203") or ("5680419") or ("5351274") or ("5680419") or ("5313495") or ("5497401") or ("5497704") or ("5497401") or ("5596607") or ("5892801") or ("5757855") or ("5892801") or ("6047024") or ("6088404") or ("6178209") or ("6222835") or ("6226332") or ("6222835") or ("6226332") or ("6222835") or ("6226332") or ("4536878") or ("5295159") or	USPAT; USOCR
2	20	("5420889") or ("5509021")).PN. S1 and fideli\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT;
3	0	decod\$7 and (err\$7 near2 estima\$7) and (channel near2 fideli\$7 near2 metric) and @ad<"20010608"	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	decod\$7 and (channel near2 fideli\$7 near2 metric) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
5	0	(channel near2 fideli\$7 near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT;
6	0	(channel\$7 near2 fideli\$7 near2 metric\$7) and @ad<"20010608"	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT;
7	210	(channel\$7 near2 fideli\$7) and @ad<"20010608"	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT;
8	1	((channel\$7 near2 fideli\$7) near2 decod\$7) and @ad<"20010608"	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	1	((channel\$7 near2 quali\$7 near2 metric\$7) near2 decod\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	76	(channel\$7 near2 quali\$7 near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	43	(channel\$7 near2 (fideli\$7 or quali\$7) near2 metric\$7) and decod\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	200	(constellat\$7 near2 distance) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	149	(constellat\$7 near2 distance) and decod\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	6	(constellat\$7 near2 distance near2 squar\$7) and decod\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	6	(constellat\$7 near2 distance near2 squar\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	7	(constellat\$7 near2 distanc\$7 near2 squar\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	36	((closest or nearest) near2 distanc\$7 near2 squar\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	16	((closest or nearest) near2 distanc\$7 near2 squar\$7) and decod\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	11	((closest or nearest) near2 distanc\$7 near2 squar\$7) and decod\$7 and constella\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	11	(US-6484284-\$ or US-6414988-\$ or US-6247158-\$ or US-6215827-\$ or US-6131049-\$ or US-6108374-\$ or US-5604730-\$ or US-5351274-\$ or US-5910959-\$).did. or (EP-944201-\$ or EP-899906-\$).did.	USPAT: FPO
21	3	S20 and (eras\$7 or delet\$7)	USPAT; EPO
22	2	(channel\$7 near2 (fideli\$7 or quali\$7) near2 metric\$7) and decod\$7 and (keep\$7 and (delet\$7 or eras\$7)) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	10	(channel\$7 near2 (fideli\$7 or quali\$7) near2 metric\$7) and decod\$7 and ((keep\$7 or stor\$7 or sav\$7) and (delet\$7 or eras\$7)) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	14	(eras\$7 or delet\$7) near2 symb\$7 near2 channel\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	14	(select\$7 or choos\$7 or choic\$7 or switch\$7) near2 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near2 (error\$7) near2 (threshold\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	0	2001/0016926.pn.	US-PGPUB
27	1	"20010016926".pn.	US-PGPUB
28	0	("2001/0016926").URPN.	USPAT
29	21	(select\$7 or choos\$7 or choic\$7 or switch\$7) near2 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near2 (error\$7 or nois\$7 or impair\$7) near2 (threshold\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	7	S29 not S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	384	(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
32	363	\$31 not \$29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	109	S32 and (keep\$7 or stor\$7) and (delet\$7 or eras\$7 or remov\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) near7 (keep\$7 or stor\$7) near7 (delet\$7 or eras\$7 or remov\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	0	(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) near7 ((keep\$7 or stor\$7) and (delet\$7 or eras\$7 or remov\$7)) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	6	(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) near7 (delet\$7 or eras\$7 or remov\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	54	erasing near2 symbol and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
38	29	(select\$7 or choic\$7 or choos\$7) and (erasing near2 symbol) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	2	(select\$7 or choic\$7 or choos\$7) same (erasing near2 symbol) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	7	(select\$7 or choic\$7 or choos\$7) and ((erasing near2 symbol) same signal\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	0	"5406593".pn. and probabili\$7 with sir	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	0	"5406593".pn. and (probabili\$7 same sir)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	2	"5406593".pn. and (probabili\$7 same2 sir)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	0	(chang\$7 or modif\$7 or updat\$7) near2 branch near2 metric near2 low\$7 near2 probabili\$7 near2 degrad\$7 near2 channel\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	0	(chang\$7 or modif\$7 or updat\$7) near7 branch near7 metric near7 low\$7 near7 probabili\$7 near7 degrad\$7 near7 channel\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
		(chang\$7 or modif\$7 or updat\$7)	US-PGPUB;
46	0	near7 branch near7 metric near7	USPAT; EPO; JPO;
0	U	degrad\$7 near7 channel\$7 and	DERWENT;
		@ad<"20010608"	IBM_TDB
		(chang\$7 or modif\$7 or updat\$7)	US-PGPUB;
47	0	near7 branch near7 metric near7	USPAT; EPO; JPO;
~		low\$7 near7 probabili\$7 and	DERWENT;
		@ad<"20010608"	IBM_TDB
		(chang\$7 or modif\$7 or updat\$7)	US-PGPUB;
48	0	near7 branch\$7 near7 metric\$7	USPAT; EPO; JPO;
70	U	near7 low\$7 near7 probabili\$7	DERWENT;
		and @ad<"20010608"	IBM_TDB
	0	(chang\$7 or modif\$7 or updat\$7)	US-PGPUB;
49		near7 branch\$7 near7 metric\$7	USPAT; EPO; JPO;
		near7 low\$7 near7 (probabili\$7 or	DERWENT;
		chanc\$7) and @ad<"20010608"	IBM_TDB
	,	(chang\$7 or modif\$7 or updat\$7)	US-PGPUB;
50	1	near7 branch\$7 near7 metric\$7	USPAT; EPO; JPO;
	-	near7 low\$7 near7 (probabili\$7 or	1
		chanc\$7)	IBM_TDB
		(chang\$7 or modif\$7 or updat\$7	US-PGPUB;
51	_	or set\$7) near7 branch\$7 near7	USPAT; EPO; JPO;
	0	metric\$7 near7 low\$7 near7	DERWENT;
		(probabili\$7 or chanc\$7) and	IBM TDB
		@ad<"20010608"	
		branch\$7 near7 metric\$7 near7	US-PGPUB;
52	4	low\$7 near7 (probabili\$7 or	USPAT; EPO; JPO;
		chanc\$7) and @ad<"20010608"	DERWENT;
			IBM_TDB

	Hits	Search Text	DBs
53	16	(375/224, 375/226, 375/227, 375/228, 375/316, 375/340, 375/341, 375/377, 375/346, 455/501, 455/500, 455/39, 455/67.13, 455/67.11, 455/63.1, 455/296, 455/130, 455/334, 714/699, 714/704).ccls. and (channel\$7 near2 quali\$7 near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	16	(375/224, 375/226, 375/227, 375/228, 375/316, 375/340, 375/341, 375/377, 375/346, 455/501, 455/500, 455/39, 455/67.13, 455/67.11, 455/63.1, 455/296, 455/130, 455/334, 714/699, 714/704).ccls. and (channel\$7 near2 quali\$7 near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	0	(decod\$7 near2 bas\$3 near2 accurac\$7 near2 error\$7 near2 estimat\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56		(decod\$7 near7 bas\$3 near7 accurac\$7 near7 error\$7 near7 estimat\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	21	(decod\$7 near7 accura\$7 near7 error\$7 near7 estimat\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	1	(decod\$7 near7 bas\$3 near7 accura\$7 near7 error\$7 near7 estimat\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
		(decod\$7 near7 bas\$3 near7	US-PGPUB;
F.C	10	(accura\$7 or reliab\$7) near7	USPAT; EPO; JPO;
59	10	error\$7 near7 estimat\$7) and	DERWENT;
		@ad<"20010608"	IBM_TDB
		((decod\$7 near7 accura\$7 near7	US-PGPUB;
60	1	error\$7 near7 estimat\$7) with	USPAT; EPO; JPO;
	•	branch\$7) and @ad<"20010608"	DERWENT;
		branchar) and wad 200 10000	IBM_TDB
		((decod\$7 near7 accura\$7 near7	US-PGPUB;
61	1	error\$7 near7 estimat\$7) same	USPAT; EPO; JPO;
		branch\$7) and @ad<"20010608"	DERWENT;
ļ			IBM_TDB
		((decod\$7 near7 accura\$7 near7	US-PGPUB;
62	6	error\$7 near7 estimat\$7) and	USPAT; EPO; JPO;
		branch\$7) and @ad<"20010608"	DERWENT;
			IBM_TDB
	3	((decod\$7 near7 accura\$7 near7 error\$7) same branch\$7) and @ad<"20010608"	US-PGPUB;
63			USPAT; EPO; JPO;
			DERWENT; IBM_TDB
-			IBINI_I DB
		"5942003".pn. or wo-0126318-	US-PGPUB;
64	2	\$.did. or ep-0991239-\$.did. or EP-	USPAT; EPO; JPO;
		0689312-\$.did. or W0-9750198-	DERWENT;
		\$.did.	IBM_TDB
		(375/224, 375/226, 375/227,	
		375/228, 375/316, 375/340,	
1		375/341, 375/377, 375/346,	HC DODIES
		455/501, 455/500, 455/39,	US-PGPUB;
65	16	455/67.13, 455/67.11, 455/63.1,	USPAT; EPO; JPO;
		455/296, 455/130, 455/334,	DERWENT; IBM TDB
		714/699, 714/704).ccls. and	IBM_IVB
		(channel\$7 near2 quali\$7 near2	
		metric\$7) and @ad<"20010608"	

	Hits	Search Text	DBs
66	10	error same snr same (branch near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	127	error same snr and (branch near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	3	(error same snr) and ((branch near2 metric\$7) same decod\$7 same snr) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	17	(error same (snr or ber or ser)) and ((branch near2 metric\$7) same decod\$7 same (snr or ber or ser)) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	15	S69 not S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	14	S70 not S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
		(US-20010016926-\$).did. or (US-	
i		5406593-\$ or US-5351274-\$ or	
		US-5751725-\$ or US-6484284-\$ or	
		US-6414988-\$ or US-6247158-\$ or	
		US-6215827-\$ or US-6131049-\$ or	
		US-6108374-\$ or US-5604730-\$ or	HE DODLID.
70	00	US-6760385-\$ or US-6035007-\$ or	US-PGPUB;
72	23	US-6507927-\$ or US-6691263-\$ or	USPAT; EPO;
		US-5910959-\$ or US-5121395-\$ or	DERWENT
		US-5671253-\$).did. or (EP-944201-	
		\$ or EP-899906-\$).did. or (US-	
		20010021642-\$ or US-	
		20010016926-\$ or US-	
!		20030033574-\$).did.	
			US-PGPUB;
		S72 and turbo	USPAT; EPO; JPO;
73	2		DERWENT;
			IBM_TDB
		(turbo near2 decod\$7) and	
- 4		((chang\$7 or modif\$7 or updat\$7)	USPAT; EPO; JPO;
74	6	near2 (branch\$7 near2 metric\$7))	DERWENT;
		and @ad<"20010608"	IBM_TDB
		(turbo near2 decod\$7) and	USPAT; EPO; JPO;
75	78	(branch\$7 near2 metric\$7) and	DERWENT;
		@ad<"20010608"	IBM_TDB
			US-PGPUB;
	0.4.	turbo near2 decod\$7 and	USPAT; EPO; JPO;
76	817	@ad<"20010608"	DERWENT;
ĺ			IBM_TDB
		((equali\$7 or coefficien\$7 or	
	20	tap\$3 or filter\$7 or slic\$7) with	USPAT; EPO; JPO;
77		(branch near2 metric\$7)) same	DERWENT;
		decod\$7 same error\$3 and	IBM_TDB
!		@ad<"20010608"	

	Hits	Search Text	DBs
78	0	((coefficien\$7 or tap\$3) near2 (bas\$3 or due or us\$3) near2 error\$3) with (branch near2 metric\$7) same decod\$7 and	USPAT; EPO; JPO; DERWENT; IBM_TDB
79	128	@ad<"20010608" ((equali\$7 or coefficien\$7 or tap\$3 or filter\$7 or slic\$7) with (branch near2 metric\$7)) same decod\$7 and @ad<"20010608"	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	1	(kolze-thomas.in. or currivan- bruce.in. or min-jonathan.in.) and (channel\$7 near2 (quali\$7 or fideli\$7) near2 metric\$7).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	18	(375/224, 375/226, 375/227, 375/228, 375/316, 375/340, 375/341, 375/377, 375/346, 455/501, 455/500, 455/39, 455/67.13, 455/67.11, 455/63.1, 455/296, 455/130, 455/334, 714/699, 714/704).ccls. and (channel\$7 near2 (quali\$7 or fideli\$7) near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB